



# RG CUSTOM ORDER / MEASURE GUIDE



<b>Date:</b>		<b>Order #:</b>	
<b>Name:</b>			
<b>Address:</b>			
<b>Phone:</b>			
<b>Email:</b>			


## INSTRUCTIONS

- DO NOT TAKE Measurements on yourself. Always have a second person take the measurements on you.
- USE a soft tape to take the measurements.
- This guide works for Male Fit, Female Fit, and Child Sizes.
- It is preferred to wear the same undergarments for measurements as you will wear with the suit.  
DO NOT wear thick clothes like a sweatshirt or jeans when taking the measurements.
- If you plan to wear a separate Protector, Vest, or Air Vest (non-HELITE) please send us measurements, where indicated, and pictures with and without this article.
- Please take all measurements snug & without sucking in or pushing out your stomach. Relaxed position is best.
- Please take all measurements in Centimeters (cm)
- When measuring, be sure to double check your measurement and DO NOT add extra. This can result in poor fit.
- DO NOT Wear any back protector when taking BACK LENGTH
- Please use the reference diagrams provided when taking the measurements.

## NOTE (MUST READ)

**TAKING MEASUREMENTS per these instructions is your responsibility. Failing to take these measurements properly can lead to improper fit. We assure you that, when taken per these instructions, your suit will fit you perfectly. We have over a decade of experience making suits fit perfectly with these instructions. Ryder Gear does not take responsibility and does not provide refunds or returns for gear made with improper measurements. Only measurements taken by a Ryder Gear representative have the fit gurantee. If you have questions about these instructions, or want to schedule an online fitting consultation please contact your Ryder Gear representative or email [info@ryder-gear.com](mailto:info@ryder-gear.com) or call +01 858-707-7037 (California, USA business hours)**

### 1. HEIGHT & WEIGHT, ADULT / YOUTH



Measure your body height by standing against a wall. Place a pencil on the top of your head horizontally and mark the wall with it. Measure the distance from the pencil mark to the floor. **NOTE: Remove any shoes or sandals for this measurement.**

Your Body Height: \_\_\_\_\_ cm


Your Body Weight: \_\_\_\_\_ lb or kg

Suit Size:     ADULT             or             YOUTH



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE


### A: NECK Measurement



Measure the circumference of your neck using the soft tape horizontally (as shown in the diagram).

Your Neck Measurement: \_\_\_\_\_ cm

### B: CHEST Measurement




Measure the circumference of the widest part of your chest, just under the armpits, standing up straight and relaxed (as shown in the diagram).

Your Chest Measurements:

Without Protector: \_\_\_\_\_ cm

With Protector (If Any): \_\_\_\_\_ cm

### B2: BUST Measurement (FEMALE FORM FIT ONLY)



Measure the circumference of the widest part of your bust, usually around the nipples, and under your bust around your chest (as shown in the diagram).

**NOTE: FEMALE Form Fit Only and 2 Measurements**

Your Wide Bust Measurements:

Without Protector: \_\_\_\_\_ cm

With Protector (If Any): \_\_\_\_\_ cm

Your Under Bust Measurements:


Without Protector: \_\_\_\_\_ cm

With Protector (If Any): \_\_\_\_\_ cm



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### C: BELLY Measurements




Measure the circumference of your belly starting at your navel (belly button) keeping the tape horizontal for the measurement (as shown in the diagram).

Your Belly Measurements:

Without Protector: \_\_\_\_\_ cm

With Protector (If Any): \_\_\_\_\_ cm

### D: WAIST Measurements



Measure the circumference of your waist horizontally. That is normally 6-7 cm below your navel. This is often your beltline (as shown in the diagram).


**NOTE: It is helpful to wrap a string or ribbon around your Waist firmly (not loose) as you will use this point for more measurements later on.**

Your Waist Measurements:

Without Protector: \_\_\_\_\_ cm

With Protector (If Any): \_\_\_\_\_ cm

### E: SLEEVE LENGTH Measurements



Measure the sleeve length & shoulder to elbow starting exactly at the shoulder joint (outer edge) and ending at the wrist bone & at the elbow, while standing straight (as shown in the diagram). **NOTE: Put a mark on the shoulder joint (exactly where you started), it will help when taking the shoulder measurement later on. (Green Mark on Diagram)**

Your Sleeve Length Measurements:

Left Arm: \_\_\_\_\_ cm

Right Arm: \_\_\_\_\_ cm

Your Shoulder to Elbow Measurements:


Left Arm: \_\_\_\_\_ cm

Right Arm: \_\_\_\_\_ cm



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### F: BICEPS Measurements




Measure the circumference of the widest part of your biceps while keeping your arm straight (as shown in the diagram).

Your Biceps Measurements:

Left Bicep: \_\_\_\_\_ cm

Right Bicep: \_\_\_\_\_ cm

### G: ELBOW Measurements




Measure the circumference of the center of your elbow to include the elbow joint (funny bone) while keeping your arm straight (as shown in the diagram).

Your Elbow Measurements:

Left Elbow: \_\_\_\_\_ cm

Right Elbow: \_\_\_\_\_ cm

### H: LOWER ARM Measurements



Measure the circumference of the widest part of your forearm while keeping your arm straight (as shown in the diagram).

Your Lower Arm Measurements:


Left Forearm: \_\_\_\_\_ cm

Right Forearm: \_\_\_\_\_ cm



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### I: WRIST Measurements




Measure the circumference of your wrists to include the wrist bone keeping your arm straight (as shown in the diagram).

Your Wrists Measurements:

Left Wrist: \_\_\_\_\_ cm

Right Wrist: \_\_\_\_\_ cm

### J: SHOULDERS Measurement




Measure your shoulders starting from one shoulder joint to the other by passing the tape over your shoulders (as shown in the diagram).

**NOTE: Start exactly from the point/mark which you made while taking SLEEVE LENGTH (E) earlier.**

Your Shoulders Measurement:

\_\_\_\_\_ cm

### K: BACK LENGTH Measurement



Measure your back length starting from the neck joint on the upper back and ending at the waistline while standing up straight (as shown in the diagram).

**NOTE: Waistline is the exact point where you put the measuring tape (string or ribbon) while taking Waist Circumference (D) earlier.**

**DO NOT USE ANY PROTECTOR while taking this measurement.**


Your BACK LENGTH Measurement:

\_\_\_\_\_ cm



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### L: HIPS Measurement




Measure the circumference of the widest part of your hips and buttocks while standing straight and maintain the tape horizontal (as shown in the diagram).

Your HIPS Measurement:

\_\_\_\_\_ cm

### M: THIGH Measurements




Measure the circumference of the widest part of your thigh (normally 7-8 cm below your crotch) while standing straight and keeping the tape horizontal (as shown in the diagram).

Your Thighs Measurements:

Left Thigh: \_\_\_\_\_ cm

Right Thigh: \_\_\_\_\_ cm

### N: KNEES Measurements



Measure the circumference of the center of your knee keeping the tape horizontal (as shown in the diagram).

Your Knee Measurements:

Left Knee: \_\_\_\_\_ cm


Right Knee: \_\_\_\_\_ cm





## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### O: LOWER LEG Measurements




Measure the circumference of the widest part of your calf keeping the tape horizontal (as shown in the diagram).

Your Lower Leg Measurements:

Left Calf: \_\_\_\_\_ cm

Right Calf: \_\_\_\_\_ cm

### P: INSEAM Measurements




Measure your Inseam starting exactly at your crotch and ending at the ankle bone (not the floor) while standing up straight (as shown in the diagram).

Your Inseam Measurements:

Left Inseam: \_\_\_\_\_ cm

Right Inseam: \_\_\_\_\_ cm

### Q: OUTER LENGTH Measurements



Measure your Outer Length starting at your waistline and ending at the ankle bone (not the floor) while standing up straight (as shown in the diagram).

**NOTE: Waistline is the exact point where you put the measuring tape (string or ribbon) while taking Waist Circumference (D) earlier.**

Your Outer Length Measurements:


Left Side: \_\_\_\_\_ cm

Right Side: \_\_\_\_\_ cm



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### R: KNEE TO ANKLE Measurements




Measure the length from the center of your knee to ankle bone while standing up straight (as shown in the diagram).  
**NOTE: Start exactly at the center of the knee, not the top or bottom of the knee.**

Your Knee to Ankle Measurements:

Left Side: \_\_\_\_\_ cm

Right Side: \_\_\_\_\_ cm

### S: ANKLE Measurements




Measure the circumference of your ankle just above the ankle bone (as shown in the diagram).

Your Ankle Measurements:

Left Ankle: \_\_\_\_\_ cm

Right Ankle: \_\_\_\_\_ cm

### T: SHAPE J Measurement



Measure starting from the waistline on your backside and ending at the neck joint on your front side by passing the tape under your crotch (as shown in the diagram). **NOTE: Waistline is the exact point where you put the measuring tape (string or ribbon) while taking Waist Circumference (D) earlier.**

**DO NOT USE ANY PROTECTOR while taking this measurement. Also, ensure that tape is not loose or too tight**

Your SHAPE J Measurement:

\_\_\_\_\_ cm





**RYDER GEAR  
CUSTOM ORDER / MEASUREMENT GUIDE**

AD ONS, ADDITIONAL OPTIONS, FEATURES, SPECIFICS		Notes:
2	1 PC or 2 PC or Jacket Only	
3	Male Cut or Female Cut	
4	Standard Design or Custom Design (Variable)	
5	Standard Size or Custom Size (Ad On)	
6	Kangaroo Upgrade (Ad On)	
7	Airbag Compatible (Ad On)	
8	CE Level 2 SAS TEC or CE Level 2 Forcefield (Ad On)	
9	Flat Back, Aero Hump (Ad On), Water Bottle (Ad On)	
10	Knee Sliders (Included)	
11	Elbow Sliders (Ad On)	
12	No Perf, Perforation (Ad On) or Vent Zippers (Ad On)	
13	Soft Cuffs/Ankles YES or NO	
14	Lining REMOVABLE or FIXED	
15	External Zipper Leg Pockets YES or NO	
16	Reflective Outline (Ad On)	
17	Custom Zippers (Ad On)	
18	Custom Name (Ad On)	
19	Sponsor Logos (Variable)	
20	Custom Logos (Variable)	
21	Replace Keprotec w/ Stretchy Leather (Ad On)	
22	Matching Custom Boots (Ad On)	
23	Matching Custom PHANTOM Gloves (Ad On)	
24	Matching Commuter Gloves (Ad On)	

25	<b>Additional Notes or Questions (If Any):</b>

**PHOTOS: Include Photo of Neck, Chest, Shoulders, Back Length measurements if feasible**

**Include Photos of Yourself as you are being measured: Front Profile**

26

**Include Photos of Yourself as you are being measured: Side Profile**

27

**Include Photos of Yourself as you are being measured: Rear Profile**

28



## RYDER GEAR CUSTOM ORDER / MEASUREMENT GUIDE

### U: (BOOTS ONLY) FOOT LENGTH Measurements




Measure the length of your foot along the bottom from the back of your heel to the end of your longest toe (as shown in the diagram).

Your FOOT Measurements:

Left Foot: \_\_\_\_\_ cm

Right Foot: \_\_\_\_\_ cm

### V: (GLOVES ONLY) PALM Measurements




Measure the circumference of the widest part of your palm around the knuckles keeping the tape snug (as shown in the diagram).

Your PALM Measurements:

Left Palm: \_\_\_\_\_ cm

Right Palm: \_\_\_\_\_ cm

### W: (GLOVES ONLY) Fingers Measurements



Measure the length of each finger starting from the top of your fingers and ending at the bottom keeping the tape straight (as shown in the diagram).

Your Fingers Measurements:

	LEFT	RIGHT	
Index Finger:	_____	_____	cm
Middle Finger:	_____	_____	cm
Ring Finger:	_____	_____	cm
Pinky Finger:	_____	_____	cm
Thumb:	_____	_____	cm